

# FLAT PRODUCT

**CIRCLES:** Cold rolled product, annealed and pickled, sheared in circles.



## STAINLESS STEEL GRADES - INTERNATIONAL STANDARDS

Austenitic																
ACX	060	100	110	120	140	150	160	180	200	240	250	260	280	315	340	350
EN 10088	1.4372	1.4310	1.4310	1.4301	1.4301	1.4307 1.4301	1.4307 1.4301	1.4301	1.4307	1.4401 1.4404	1.4401	1.4432	1.4571	1.4541 1.4878	1.4833	1.4845
AISI	201	301	301	304	304	304L 304	304L 304	304DDQ 302	304L	316L 316	316	316L	316Ti	321	309S	310S

Ferritic										Martensitic		Duplex				
ACX	490	500	515	525	535	540	555	800	845	ACX	380	390	ACX	900	920	940
EN 10088	1.4016	1.4016	1.4510	1.4511	1.4113	1.4513	1.4521	1.4512	1.4509	EN 10088	1.4116	1.4031	EN 10088	1.4462	1.4482	1.4362
AISI	430	430	430Ti	430Nb	434	-	444	409L	S43940	AISI	420MoV	420	AISI	S31803 S32205	S32001	S32304

### SIZES

Sizes according to international tolerance standards.

Standard Thickness (mm)	Diameter (mm)
0.40 - 2.00	100 - 1000

The specifications of certain products may vary according to grade and finish.

Other sizes or specifications, ask your nearest commercial agent.

### TERMS OF DELIVERY

Finishes									
2B / 2D	2R (BA)							2G / 2K / 2J	
<i>all</i>	100	110	120	140	150	160	180	<i>all</i>	
	200	240	250	260	280	315	500		
	515	525	535	540	555	800	845		

This data is subject to changes according to international standards and working practices. Other stainless steel grades on request.

